SAVE WATER
Save Life

Rs. 60.00 Only. Hon.

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

473

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs AEE BBMP Byatarayanapura. Dated 10/08/21 On His/Her Land Located at Prasannanagara 3rd cross in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

- ★ The Area Investigated has a slope towards North to East
- ★ Radius 152° from centre of the Point.
- ★ Approximate Casing pipe Required 56 MR to 58 MR
- ★ No of Water Bearing Zones 3 Nos.
  230 MR 290 MR 385 MR.
- ★ From the above Observation, a Borewell is Recommended for Drilling upto 350 to 378 MR for Better Storage.
- ★ The Approximate Yield May be 2½ inch GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous subsurface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Scanned with CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091

474

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs AEE. BBMP. Byatarayanapura Dated 10/08/21 On His/Her Land Located at Kaveriamma 4th cross, In Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

★ The Area Investigated has a slope towards East to South.

★ Radius 210° from centre of the Point.

★ Approximate Casing pipe Required 60 to 67 MTR

★ No of Water Bearing Zones 3 Nos.

220 MTR 285 MTR. 350 MTR.

★ From the above Observation, a Borewell is Recommended for Drilling upto 350 to 375 MTR. for Better Storage.

★ The Approximate Yield May be 2 inch. GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P. Bangalore-560024

Scanned with CamScanner

SAVE WATER
Save Life

Mob: 9731993115
9448004619

SOMESHWARA WATER DIVINING

INVESTIGATION OF UNDER GROUND WATER

Gollarahatti, Magadi Main Road, Bangalore - 560091 475

GROUND WATER SURVEY REPORT

The Investigation was Carried Out as Per Application / Request By Mr/Mrs AEE BBMP. Byatarayanapura. Dated 11/08/21 On His/Her Land Located at Ashwathnagara Mamatha Scanning center Road. in Order to access the Ground Water Potential of the Area for Domestic ☐ Irrigation ☐ Industrial ☐ Purposes. ✓

★ The Area Investigated has a slope towards East to South.

★ Radius 190° from centre of the Point.

★ Approximate Casing pipe Required 55 to 60 MTR.

★ No of Water Bearing Zones 3 Nos.

225 MTR 290 MTR. 358 MTR.

★ From the above Observation, a Borewell is Recommended for Drilling upto 300 to 374 MTR. for Better Storage.

★ The Approximate Yield May be 2 inch GPH.



SHIVA KUMAR
Researcher / Diviner

TERMS & CONDITIONS:

1. The information furnished in this report regarding the subsurface and quantity of water are predictions which may vary due to a natural phenomena such as non-homogeneous sub surface of the earth and indulating terrain and also due to limitations of the geo-physical instruments used for prospecting.
2. The point(s) marked are those with maximum yield. The water researcher cannot take any responsibility for reduced yield in case the point(s) is shifted.
3. Feasible spots marked as per customers request.
4. The report is valid for 60 days from the date of survey.

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P Bangalore-560024

Scanned with CamScanner